

Background

Colon cancer is the second leading cause of cancer-related deaths worldwide. In 2020, more than 1.9 million new cases and more than 930 000 deaths were estimated. Common symptoms include diarrhoea, constipation, blood in stool, abdominal pain, unexplained weight loss, fatigue and low iron levels.

Risk Factors

Age : The risk increases with age, with most cases occurring in individuals over 50 years old

Personal : Individuals who have had colorectal cancer before or certain types of polyps are at a higher risk
Lifestyle : Unhealthy choices, such as a diet high in processed meats and low in fruits and vegetables,

: Unhealthy choices, such as a diet high in processed meats and low in fruits and vegetables, sedentary behaviour, obesity, smoking and excessive alcohol consumption

Our Solution

Colon Cancer® Panel

Enable to detection of low-abundance somatic mutation in colon cancer research.

Genes & Variants for Colon Panel

Pre-designed panel for the identification of markers across 3 genes in Thai people for comprehensive profiling of colon cancer samples.

Gene	Nucleotide Change	Amino Acid Change
	c.1798_1799delinsAA	V600K
BRAF	c.1798_1799delinsAG	V600R
	c.1799_1800delinsAA	V600E
	c.1799_1800delinsAC	V600D
		p.V600E
	c.1799T>A	
KRAS	c.175G>A	p.A59T
	c.175G>T	p.A59S
	c.176C>A	p.A59E
	c.176C>G	p.A59G
	c.180_181delinsAA/c.181C>A	Q61K
	c.181C>A	p.Q61K
	c.181C>G	p.Q61E
	c.182A>C	p.Q61P
	c.182A>G	p.Q61R
	c.182A>T	p.Q61L
	c.183A>C	p.Q61H
	c.183A>T	p.Q61H
	c.34G>A	p.G12S
	c.34G>C	p.G12R
	c.34G>T	p.G12C
	c.351A>C	p.K117N
	c.351A>T	p.K117N
	c.35G>A	p.G12D
	c.35G>C	p.G12A
	c.35G>T	p.G12V
	c.37G>A	p.G13S
	c.37G>C	p.G13R
	c.37G>T	p.G13C
	c.38_39GC>TT	p.G13V
	c.38G>A	p.G13D
	c.38G>C	p.G13A
	c.38G>T	p.G13V
	c.436G>A	p.A146T
	c.436G>C	p.A146P
	c.437C>T	p.A146V
	c.175G>A	p.A59T
	c.176C>A	A59D
	c.176C>G	p.A59G
	c.181C>A	p.Q61K
NRAS	c.182A>C	p.Q61P
	c.182A>G	p.Q61R
	c.182A>T	p.Q61L
	c.183A>C	p.Q61H
	c.183A>T	p.Q61H
	c.34G>A	p.G12S
	c.34G>C	p.G12R
	c.34G>T	p.G12C
	c.351G>C	p.K117N
	c.351G>T	p.K117N
	c.35G>A	p.G12D
	c.35G>C	p.G12A
	c.35G>T	p.G12V
	c.37G>A	p.G13S
	c.37G>C	p.G13R
	c.37G>T	p.G13C
	c.38G>A	p.G13D
	c.38G>C	p.G13A
	c.38G>T	p.G13V
	C 136C=>V	p.A146T
	c.436G>A c.437C>T	p.A146V

References

BSeekhuntod S. Development of a Multiplex Allele-Specific Real-time Polymerase Chain Reaction Assay for detection of KRAS gene mutations in Thai colorectal cancer tissues. Arch AHS [Internet]. 2024 Jun. 7 [cited 2024 Aug. 13];36(2):14-29. Available from: https://he01.tci-thaijo.org/index.php/ams/article/view/268147

Chaiyapan, W., Duangpakdee, P., Boonpipattanapong, T., Kanngern, S., & Sangkhathat, S. (2013). Somatic mutations of K-ras and BRAF in Thai colorectal cancer and their prognostic value. Asian Pacific Journal of Cancer Prevention, 14(1), 329-332.

Korphaisarn, K., Pongpaibul, A., Roothumnong, E., Pongsuktavorn, K., Thamlikitkul, L., Anekpuritanang, T., Poungvarin, N., Thongnoppakhun, W., & Pithukpakorn, M. (2019). High Frequency of KRAS Codon 146 and FBXW7 Mutations in Thai Patients with Stage II-III Colon Cancer. Asian Pacific journal of cancer prevention: APJCP, 20(8), 2319–2326.

Testa, U., Pelosi, E., & Castelli, G. (2018). Colorectal cancer: genetic abnormalities, tumor progression, tumor heterogeneity, clonal evolution and tumor-initiating cells. Medical Sciences, 6(2), 31.

Lifomics Co., Ltd. Phone: (66)2454 8534 Fax: (66)2454 8535

Website: www.lifomics.com

Address: Head Office 10 Kanchanapisek Road, Soi 0010

2nd Junction, Bangkae, Bangkok 10160

